



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

SUPERSEDING PERMIT
TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON
Supersedes Permit Issued April 3, 1990

- ☐ Surface Water (Issued in accordance with the provisions of Chapter 117, Laws of Washington for 1917, and amendments thereto, and the rules and regulations of the Department of Ecology.)
- ☒ Ground Water (Issued in accordance with the provisions of Chapter 263, Laws of Washington for 1945, and amendments thereto, and the rules and regulations of the Department of Ecology.)

PRIORITY DATE	APPLICATION NUMBER	PERMIT NUMBER	CERTIFICATE NUMBER
December 11, 1987	CG4-29544P	G4-29544P	
NAME			
Public Utility District No. 1 of Chelan County			
ADDRESS (STREET)	CITY	STATE)	ZIP CODE)
327 N. Wenatchee Avenue/PO Box 1231	Wenatchee	WA	98807-1231

The applicant is hereby granted a permit to appropriate the following public waters of the State of Washington, subject to existing rights and to the limitations and provisions set out herein.

PUBLIC WATERS TO BE APPROPRIATED		
SOURCE		
Well #1		
TRIBUTARY OF (IF SURFACE WATERS)		
MAXIMUM CUBIC FEET PER SECOND	MAXIMUM GALLONS PER MINUTE	MAXIMUM ACRE -FEET PER YEAR
	60	5
QUANTITY, TYPE OF USE, PERIOD OF USE		
Community Domestic supply to include campsites, restrooms, and 1 residence year-round.		

LOCATION OF DIVERSION/WITHDRAWAL					
APPROXIMATE LOCATION OF DIVERSION--WITHDRAWAL					
Approximately 1993 feet north and 1122 feet west from the southeast corner of Section 33, T. 26 N., R. 21 E.W.M.					
LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION)	SECTION	TOWNSHIP N.	RANGE, (E. OR W.) W.M.	W.R.I.A.	COUNTY
NESE	33	26	21E	44	Douglas
PARCEL NO.	LATITUDE	LONGITUDE	DATUM		
262133-10001	47.70545	-120.20278	NAD83/WGS84		

RECORDED PLATTED PROPERTY		
LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)
N/A	N/A	N/A

LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED
All of Section 33, T. 26 N., R. 21 E.W.M. lying west of State Highway SR21, Chelan Falls to Orondo, and lying east of the Columbia River, EXCEPT that portion of Government Lot 1 of said Section, lying northwesterly of a draw which extends from the approximate north quarter corner southwesterly to the Columbia River, together with the west half of Section 34, lying westerly of SR21. Also, a tract of land in Section 28 described as follows: Beginning at the southeast corner of said Section 28; thence westerly along the south line of said Section 28 for 902.29 feet to the west right-of-way (ROW) line of SR21, and the True Point of Beginning; thence south 89°19'30" west along the south line of said Section 28 for 1733.46 feet to the south quarter corner of said Section 28; thence continuing west along the south line of Section 28 approximately 75 feet to the center line of a major draw which is the north line of the District's ownership; thence northeasterly along the center line of the bottom of said draw in a northeasterly direction to the west ROW line of SR21; thence southeasterly along said ROW line to its intersection with the south line of Section 28 and the True Point of Beginning, also the end of this description. All of the above-described lands are located in T. 26 N., R. 21 E.W.M. Also, the north half of government Lot 4 in Section 3, T. 25 N., R. 21 E.W.M.

FILE COPY

EXCEPTING from each of the above-described descriptions the following described tract which lies within them: Commencing at Station PE 853+85.11 (Mon. 75) on the Project Boundary Traverse Line of Rocky Reach Dam and on the south line of said Section 34, a brass cap in a concrete monument that bears south 89°42'00" west for 1782.04 feet from the south quarter corner of said Section 34; thence north 89°42'00" east along the south line of said Section 34 for 121.36 feet to the westerly ROW of Secondary State Highway No. 10 (SR151); thence along said ROW on a spiral chord bearing north 11°40'03" west for 317.46 feet to a point; thence north 79°51'12" east along said ROW for 35.00 feet to a point; thence north 10°08'48" west along said ROW for 385.67 feet to a point, the TRUE POINT OF BEGINNING FOR THIS DESCRIPTION; thence north 63°32'05" west for 245.44 feet to a point; thence north 66°48'55" west for 174.93 feet to a point; thence north 42°01'41" west for 170.21 feet to a point; thence north 44°49'32" west for 58.97 feet to a point; thence north 00°47'00" west for 104.57 feet to a point; thence north 00°43'34" east for 347.82 feet to a point; thence north 08°11'36" east for 207.49 feet to a point; thence north 89°47'44" west for 631.21 feet to a point; thence north 30°44'39" west for 875.84 feet to a point; thence north 01°58'08" west for 782.11 feet to a point; thence north 21°20'29" east for 42.26 feet to a point; thence north 60°44'32" east for 113.25 feet to a point; thence south 85°09'14" east for 87.40 feet to a point; thence north 04°50'44" east for 49.25 feet to a point; thence north 43°08'45" east for 113.31 feet to a point; thence north 55°20'09" east for 91.70 feet to a point; thence south 70°18'51" east for 829.83 feet to said ROW; thence southeasterly along said ROW on a curve to the right with a radius of 2812.99 feet and a central angle of 03°47'05" to a point, bearing south 12°02'20" east for 185.78 feet; thence south 10°08'48" east along said ROW for 460.70 feet to a point; thence south 79°51'12" west along said ROW for 10.00 feet to a point; thence south 10°08'48" east along said ROW for 700.00 feet to a point; thence north 79°51'12" east along said ROW for 10.00 feet to a point; thence south 10°08'48" east along said ROW for 400.00 feet to a point; thence north 79°51'12" east along said ROW for 10.00 feet to a point; thence south 10°08'48" east along said ROW for 829.32 feet to the TRUE POINT OF BEGINNING. The above-described exception contains approximately 52.29 acres.

TOGETHER WITH that portion of the S½NW¼ and the N½SW¼ of Section 34, T. 26 N., R. 21 E.W.M., more particularly described as follows: Commencing at Station PE 853+85.11 (Mon. 75) on the Project Boundary Traverse Line of Rocky Reach Dam and on the south line of said Section 34, a brass cap in concrete monument that bears south 89°40'31" west for 1781.32 feet from the south quarter corner of said Section 34; thence north 89°40'31" east along said south line for 121.54 feet; thence north 11°44'30" west for 317.63 feet to a point on the westerly ROW margin of Secondary State Highway No. 10 (SR151); thence north 79°55'57" east for 75.00 feet to a point on the center line of said Secondary State Highway; thence north 10°04'03" west along said center line for 2410.69 feet; thence south 79°55'57" west for 50.00 feet to the west margin of said Secondary State Highway and the TRUE POINT OF BEGINNING; thence north 90°00'00" west for 100.00 feet; thence north 41°26'59" west for 1048.59 feet; thence south 70°19'20" east for 735.46 feet to a point on said west margin and the beginning of a non tangent curve to the right whose central angle point bears south 76°12'20" west a radial distance of 2815.00 feet; thence along said west margin and said curve to the right for 183.11 feet; thence continuing along said west margin south 10°04'03" east for 364.80 feet to the TRUE POINT OF BEGINNING. Said lands containing approximately 4.92 acres.

Subject to all easements of record.

All situated in Douglas County, Washington.

DESCRIPTION OF PROPOSED WORKS

Well #1: The proposed well, which is already drilled and will replace the originally-authorized Well #3, is drilled to 103 feet deep with an 8-inch casing and a 3-inch PVC mainline, which will lead to a 40,000-gallon underground storage tank that is approximately 3,500 feet to the north. The proposed well is intended to be outfitted with a submersible turbine pump to serve campsites at the Daroga State Park, two restroom facilities, and 1 residence.

DEVELOPMENT SCHEDULE

BEGIN PROJECT BY THIS DATE:	COMPLETE PROJECT BY THIS DATE:	WATER PUT TO FULL USE BY THIS DATE:
Begun	Completed	September 1, 2016

PROVISIONS

A. Wells, Well Logs, and Well Construction Standards

1. All wells constructed in the state must meet the construction requirements of WAC 173-160 titled "Minimum Standards for the Construction and Maintenance of Wells" and RCW 18.104 titled "Water Well Construction." Well #3, which will permanently be discontinued, **must be decommissioned**.
2. All unused wells within the boundaries of Daroga State Park must be properly decommissioned in compliance with WAC 173-160.
3. All wells must be tagged with a Department of Ecology unique well identification number. If you have an existing well and it does not have a tag, please contact the well-drilling coordinator at the regional Department of Ecology office issuing this decision. This tag must remain attached to the well. If you are required to submit water measuring reports, reference this tag number.
4. Installation and maintenance of an access port as described in WAC 173-160-291(3) is required. An airline gage may be installed in addition to the access port.

B. Measurements, Monitoring, Metering, and Reporting

1. An approved measuring device must be installed and maintained for each of the sources identified by this water right in accordance with the rule, "Requirements for Measuring and Reporting Water Use," WAC 173-173, which describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements.
2. Water use shall be recorded weekly and maintained by the applicant or property owner for a minimum of five years. The maximum rate of withdrawal and the annual total volume shall be submitted to the Department of Ecology by January 31st of each calendar year.

3. Recorded water-use data shall be submitted via the Internet. To set up an Internet reporting account, contact the Central Regional Office (CRO). If you do not have Internet access, you can still submit hard copies by contacting CRO for forms to submit your water-use data.
4. WAC 173-173 describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements.

C. Water-Use Efficiency

1. The water-right holder is required to maintain efficient water delivery systems and use of up-to-date water conservation practices consistent with RCW 90.03.005.

D. Proof of Appropriation

1. The water-right holder must file the notice of Proof of Appropriation of water (under which the certificate of water right is issued) when the permanent distribution system has been constructed and the quantity of water required by the project has been put to full beneficial use. The certificate will reflect the extent of the project perfected within the limitations of the water right. Elements of a proof inspection may include, as appropriate, the source(s), system instantaneous capacity, beneficial use(s), annual quantity, place-of-use, and satisfaction of provisions.

E. Schedule and Inspections

1. Department of Ecology personnel, upon presentation of proper credentials, will have access at reasonable times, to the project location, and to inspect at reasonable times, records of water use, wells, diversions, measuring devices and associated distribution systems for compliance with water law.

F. Real Estate Excise Tax

1. This decision may indicate a Real Estate Excise Tax liability for the seller of water rights. The Department of Revenue has requested notification of potentially taxable water right related actions, and therefore will be given notice of this decision, including document copies. Please contact the state Department of Revenue to obtain specific requirements for your project. Phone: (360) 570-3265. The mailing address is: Department of Revenue, Real Estate Excise Tax, P.O. Box 47477, Olympia WA 98504-7477. Internet: <http://dor.wa.gov/>. E-mail: REETSP@DOR.WA.GOV.

G. General Conditions

1. Withdrawal of water under this right may be limited or otherwise regulated in favor of senior rights.
2. This authorization to make use of public waters of the state is subject to existing rights, including any existing rights held by the United States for the benefit of Indians under treaty or otherwise.
3. Although this well is in hydraulic continuity with the surface waters of the Columbia River, this appropriation will not be subject to the provisions of the Columbia River Instream Resources Protection Program because WAC 173-563-020(4) specifically exempts domestic supply.
4. Withdrawal of water under this right may be limited or otherwise regulated in favor of senior rights.


This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Given under my hand the seal of this office at Yakima, Washington, this 22 day of JANUARY, 2013.

Polly Zehm, Acting Director
Department of Ecology

DATA REVIEW

OK 

by 
Mark Kemner, LHG
Section Manager
Water Resources Program
Central Region Office

If you need this publication in an alternate format, please call Water Resources Program at 509 575 2490. Persons with hearing loss can call 711 for Washington Relay Service. Persons with a speech disability can call 877-833-6341.